


Honeywell

DPSN 系列空气压差开关

安装说明


安装示意图



订货型号

型号	压差范围	开关时压差 (平均值)
DPSN200A	20-200Pa	10Pa
DPSN400A	40-400Pa	20Pa
DPSN1000A	200-1000Pa	100Pa
DPSN2500A	500-2500Pa	150Pa

外形尺寸 (mm)



有害物质的名称和含量

部件名称	有害物质					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr (VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
罩盖	○	○	○	○	○	○
底座	○	○	○	○	○	○
旋钮	○	○	○	○	○	○
线缆固定头	○	○	○	○	○	○
膜片	○	○	○	○	○	○
密封圈	○	○	○	○	○	○
弹簧片	○	○	○	○	○	○
电气端子	×	○	○	○	○	○
传动组件	×	○	○	○	○	○
弹簧	○	○	○	○	○	○
螺钉	○	○	○	○	○	○
说明： 1、○：表示该有害物质在该部件所有均质材料中的含量在 GB/T26572-2011 规定的限量要求以下。 2、×：表示该有害物质至少在该部件的某一均质材料中的含量超过 GB/T26572-2011 中规定的限量要求。 3、部件含铅说明：部分电气端子及传动件使用的是铜铅合金材料。						

Honeywell


霍尼韦尔环境自控产品（天津）有限公司天津
经济技术开发区南海路 158 号 邮编：300457
电话：+86-22-66287000
传真：+86-22-25325214

说明书如有变动，不另行通知。

DPSN Series Air Differential Pressure Switch

INSTALLATION


Installation Guide



Order Information

SKU	Differential pressure range	Switching Difference (Hysteresis)
DPSN200A	20-200Pa	10Pa
DPSN400A	40-400Pa	20Pa
DPSN1000A	200-1000Pa	100Pa
DPSN2500A	500-2500Pa	150Pa

Dimensions (mm)



Hazardous Substances Content

Parts	Hazardous Substances					
	Pb	Hg	Cd	Cr (VI)	PBB	PBDE
Cover	○	○	○	○	○	○
Base	○	○	○	○	○	○
Knob	○	○	○	○	○	○
Cable connector	○	○	○	○	○	○
Diaphragm	○	○	○	○	○	○
Sealing ring	○	○	○	○	○	○
Spring leaf	○	○	○	○	○	○
Terminal	×	○	○	○	○	○
Transmission	×	○	○	○	○	○
Spring	○	○	○	○	○	○
Screw	○	○	○	○	○	○

Notes:

- 1、○：The hazardous substances content in the related part are less than the limit in GB/T26572 standard.
- 2、×：The hazardous substances content in the related part are more than the limit in GB/T26572 standard.
- 3、Description of parts: Some electrical terminals and transmission parts use copper-lead alloy materials.

Honeywell

Honeywell Environmental & Combustion Controls (Tianjin) Co., Ltd.

No. 158, NanHai Road
Tianjin Economic-Technological Development Area
Tianjin, 300457, P.R.C.
Phone: +86-22-66287000
Fax: +86-22-25325214
Subject to change without notice.

HBT-G.C.-Building-FDSI-JUN-2020-EN01